

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/613,001	07/02/2003	Joseph Joseph		4488
75	90 09/23/2005		EXAM	INER
Stephen E. Feldman, P.C.			PHUONG, DAI	
12 East 41st Street New York, NY 10017			ART UNIT	PAPER NUMBER
, .			2685	
			DATE MAILED: 09/23/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/613,001	JOSEPH, JOSEPH			
Office Action Summary	Examiner	Art Unit			
	Dai A. Phuong	2685			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tirwill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on <u>15 A</u>	uaust 2005.				
	action is non-final.				
<i>;</i>					
closed in accordance with the practice under E	·				
Disposition of Claims					
4)⊠ Claim(s) <u>1-20</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-20</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/o	r election requirement.				
Application Papers					
9) The specification is objected to by the Examine	er.				
10)⊠ The drawing(s) filed on <u>02 July 2003</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Ex	kaminer. Note the attached Office	Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:					
 Certified copies of the priority documents have been received. 					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)					
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail D				
 2) Notice of Dransperson's Patent Drawing Review (P10-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 		Patent Application (PTO-152)			

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

- 2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
 - (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-2, 5, and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Foladare et al. (U.S. 5,732,383).

Regarding claim 1, Foladare et al. disclose a system for providing traffic information for planning a trip comprising: a cellular telephones (fig. 1, col. 3, lines 52 to col. 5 lines 4); a base station, the base station having a zone of communication, whereby the base station creates tracking information pertaining to the amount of cellular telephones located in the zone of communication regardless of the cellular telephone statuses (fig. 1, col. 3, lines 52 to col. 5 lines 4 and col. 6, lines 7 to col. 22); and a processing station configured for receiving cellular telephone emissions, the processing station being in communication with the base station, the processing station being configured for receiving data input and tracking information from cellular telephones to the base stations (fig. 1, col. 3, lines 53 to col. 5 lines 4), whereby the processing station determines traffic volume by analyzing the tracking information (fig. 4, col. 6, lines 7 to col. 7, lines 22).

Regarding claim 2, Foladare et al. disclose all the limitation in claim 1. Further, Foladare et al. disclose the system providing for traffic information wherein the data input is sent to the base station by the cellular telephones and defines the amount of cell phones located in vehicles on a roadway (fig. 4, col. 6, lines 7 to col. 7, lines 22).

Regarding claim 5, Foladare et al. disclose all the limitation in claim 1. Further, Foladare et al. disclose the system wherein the cellular telephone users are positioned in a vehicle (col. 3, lines 52 to col. 4, lines 47).

Regarding claim 7, Foladare et al. disclose all the limitation in claim 1. Further, Foladare et al. disclose the system wherein the at least one cellular telephone user is not in a vehicle (col. 3, lines 52 to col. 4, lines 47).

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 3-4, 6, 8, 9-14 and 16-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Foladare et al. (U.S. 5,732,383) in view of Yoshikawa et al. (Pub. No: 2004/0034464).

Regarding claim 3, Foladare et al. disclose all the limitation in claim 2. However, Foladare et al. do not disclose the system for providing traffic information wherein defining the navigation pathway includes defining a date and a time of departure from a geographic location.

In the same field of endeavor, Yoshikawa et al. disclose the system for providing traffic information wherein defining the navigation pathway includes defining a date and a time of departure from a geographic location ([0049] and [0110]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the mobile end-user device of Foladare et al. by specifically including providing traffic information wherein defining the navigation pathway includes defining a date and a time of departure from a geographic location, as taught by Yoshikawa et al., the motivation being in order to allow the user to easily obtain future traffic information about a distant position from the present position of the vehicle.

Regarding claim 4, Foladare et al. disclose all the limitation in claim 2. However, Foladare et al. do not disclose the system wherein the data input includes route information.

In the same field of endeavor, Yoshikawa et al. disclose the system wherein the data input includes route information ([0042]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the mobile end-user device of Foladare et al. by specifically including the data input includes route information, as taught by Yoshikawa et al., the motivation being in order to allow the user to easily obtain future traffic information about a distant position from the present position of the vehicle.

Regarding claim 6, Foladare et al. disclose all the limitation in claim 5. However, Foladare et al. do not disclose the system wherein the processing station defines a navigation pathway package suitable for transfer to a computer system positioned in the vehicle suitable for

Art Unit: 2685

at least storing and displaying map and navigation information, the computer system in the vehicle being integrated with the at lease one cellular telephone.

In the same field of endeavor, Yoshikawa et al. disclose the system wherein the processing station defines a navigation pathway package suitable for transfer to a computer system positioned in the vehicle suitable for at least storing and displaying map and navigation information, the computer system in the vehicle being integrated with the at lease one cellular telephone ([0055] to [0056] and [0062] to [0063])

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the mobile end-user device of Foladare et al. by specifically including the processing station defines a navigation pathway package suitable for transfer to a computer system positioned in the vehicle suitable for at least storing and displaying map and navigation information, the computer system in the vehicle being integrated with the at lease one cellular telephone, as taught by Yoshikawa et al., the motivation being in order to allow the user to easily obtain future traffic information about a distant position from the present position of the vehicle.

Regarding claim 8, Foladare et al. disclose all the limitation in claim 1. However, Foladare et al. do not disclose the system wherein the locating of the at least one cellular telephone is determined using the navigation pathway defined by the at least one cellular telephone user, the emissions of the at least one cellular telephone, and one base station.

In the same field of endeavor, Yoshikawa et al. disclose the system wherein the locating of the at least one cellular telephone is determined using the navigation pathway defined by the at least one cellular telephone user, the emissions of the at least one cellular telephone, and one base station ([0055]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the mobile end-user device of Foladare et al. by specifically including disclose the system wherein the locating of the at least one cellular telephone is determined using the navigation pathway defined by the at least one cellular telephone user, the emissions of the at least one cellular telephone, and one base station, as taught by Yoshikawa et al., the motivation being in order to allow the user to easily obtain future traffic information about a distant position from the present position of the vehicle.

Regarding claim 9, Foladare et al. disclose a management system using cellular telephones comprising: a traffic management system including cellular telephone defining data input (col. 3, line 52 to col. 5, line 31); and a plurality of base stations, each base station having a zone of communication, each base station creating tracking information pertaining to the amount of cellular telephones located in its zone of communication regardless of the cellular telephone status (col. 3, line 52 to col. 5, line 31 and col. 6, lines 7 to col. 7, line 22), the base stations being connected with at least one processing station and at least one cellular telephone user, the processing station being configured for receiving the tracking information (col. 3, line 52 to col. 5, line 31 and col. 6, lines 7 to col. 7, line 22) and traffic volume information determined by the processing station through the use of the tracking information (col. 6, lines 7 to col. 7, line 22).

However, Foladare et al. do not disclose a management system using cellular telephones comprising: the data input from the cellular telephone user and the processing defining a

navigation pathway for the cellular telephone user at least partially based on the data input from the cellular telephone user.

In the same field of endeavor, Yoshikawa et al. disclose a management system using cellular telephones comprising: the data input from the cellular telephone user and the processing defining a navigation pathway for the cellular telephone user at least partially based on the data input from the cellular telephone user ([0054] to [0057] and [0095] to [0100]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the mobile end-user device of Foladare et al. by specifically including the data input from the cellular telephone user and the processing defining a navigation pathway for the cellular telephone user at least partially based on the data input from the cellular telephone user, as taught by Yoshikawa et al., the motivation being in order to allow the user to easily obtain future traffic information about a distant position from the present position of the vehicle.

Regarding claim 10, the combination of Foladare et al. and Yoshikawa et al. disclose all the limitation in claim 9. Further, Yoshikawa et al. disclose the system wherein the data input is sent to one of the plurality of base stations by the least one cellular telephone user (fig. 1, [0043]) and defines at least a geographic location of a point of destination, a time of arrival, and a date of arrival ([0110]).

Regarding claim 11, the combination of Foladare et al. and Yoshikawa et al. disclose all the limitation in claim 10. Further, Yoshikawa et al. disclose the system wherein defining the

Art Unit: 2685

navigation pathway includes defining a date and a time of departure from a geographic location ([0049] and [0110]).

Regarding claim 12, the combination of Foladare et al. and Yoshikawa et al. disclose all

the limitation in claim 10. Further, Yoshikawa et al. disclose the system wherein the data input

includes route information ([0043]).

Regarding claim 13, the combination of Foladare et al. and Yoshikawa et al. all the

limitation in claim 9. Further, Foladare et al. disclose the system wherein the cellular telephone

user is positioned in a vehicle (col. 3, lines 52 to col. 4, lines 47) and Yoshikawa et al. disclose

the system wherein the cellular telephone user is positioned in a vehicle ([0042]).

Regarding claim 14, the combination of Foladare et al. and Yoshikawa et al. disclose all

the limitation in claim 13. Further, Yoshikawa et al. disclose the system wherein the processing

station defines a navigation pathway package suitable for transfer to a computer system

positioned in the vehicle configured for at least storing and displaying navigation package

information including maps, the computer system being integrated with the cellular telephone

([0055] to [0056] and [0062] to [0063]).

Regarding claim 16, the combination of Foladare et al. and Yoshikawa et al. disclose all

the limitation in claim 9. Further, Yoshikawa et al. disclose the system wherein the locating of

the cellular telephone is determined using the navigation pathway defined by the at least on

cellular telephone user, the emissions of the at least one cellular telephone, and one base station

([0055]).

Regarding claim 17, Foladare et al. disclose a method using cellular telephones for managing traffic comprising: providing a traffic management system including a plurality of base stations connected to at least one processing station, each base station having a zone of communication, each base station creating tracking information pertaining to the amount of cellular telephones located in its zone of communication regardless of cellular telephone status, whereby the processing station determines traffic volume by analyzing the tracking information (col. 3, line 52 to col. 5, line 31 and col. 6, lines 7 to col. 7, line 22) and plurality of cellular telephone users (col. 3, line 52 to col. 5, line), the traffic management system being suitable for identifying traffic congestion based on monitoring cellular telephone traffic (col. 3, line 52 to col. 5, line 31 and col. 6, lines 7 to col. 7, line 22).

However, Foladare et al. do not disclose a method using cellular telephones for managing traffic comprising: sending data input from the cellular telephone users to the at least one processing station; developing navigation pathways in the processing station based at least partially on the data input from the cellular telephone users; inputting data from the cellular telephone users along the navigation pathway to the base stations, the information being suitable for the at least one processing station to track the position of the cellular telephone user on the navigation pathway using a single base; and providing data output from the at least one processing station to the cellular telephone users including providing notice of ensuing key navigation points along the navigation pathway to the cellular telephone users along the navigation pathway station and redirecting the cellular telephone user on the navigation pathway in relation to the traffic congestion detected by the plurality of base stations.

In the same field of endeavor, Yoshikawa et al. disclose a method using cellular telephones for managing traffic comprising: sending data input from the cellular telephone users to the at least one processing station ([0043] and [0095] to [0100]); developing navigation pathways in the processing station based at least partially on the data input from the cellular telephone users ([0043] to [0045] and [0095] to [0100]); inputting data from the cellular telephone users along the navigation pathway to the base stations, the information being suitable for the at least one processing station to track the position of the cellular telephone user on the navigation pathway using a single base ([0043] to [0045] and [0055] to [0063] and [0095] to [0100]); and providing data output from the at least one processing station to the cellular telephone users including providing notice of ensuing key navigation points along the navigation pathway to the cellular telephone users along the navigation pathway station ([0043] to [0045] and [0055] to [0063] and [0095] to [0100]) and redirecting the cellular telephone user on the navigation pathway in relation to the traffic congestion detected by the plurality of base stations ([0068] to [0071]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the mobile end-user device of Foladare et al. by specifically including sending data input from the cellular telephone users to the at least one processing station; developing navigation pathways in the processing station based at least partially on the data input from the cellular telephone users; inputting data from the cellular telephone users along the navigation pathway to the base stations, the information being suitable for the at least one processing station to track the position of the cellular telephone user on the navigation pathway using a single base; and providing data output from the at least one processing station to

the cellular telephone users including providing notice of ensuing key navigation points along the navigation pathway to the cellular telephone users along the navigation pathway station and redirecting the cellular telephone user on the navigation pathway in relation to the traffic congestion detected by the plurality of base stations, as taught by Yoshikawa et al., the motivation being in order to allow the user to easily obtain future traffic information about a distant position from the present position of the vehicle.

Regarding claim 18, the combination of Foladare et al. and Yoshikawa et al. disclose all the limitation in claim 17. Further, Yoshikawa et al. disclose the method wherein the step of providing data from the at least one processing station includes providing navigation pathway information recorded on a medium suitable for use in a vehicle ([0063]).

Regarding claim 19, the combination of Foladare et al. and Yoshikawa et al. disclose all the limitation in claim 18. Further, Yoshikawa et al. disclose the method wherein the step of providing data from the at least one processing station includes providing navigation pathway information including Global Positioning System information to the cellular telephone user, the navigation pathway information including maps in a form suitable for use on video display in a vehicle ([0060] to [0063]).

Regarding claim 20, the combination of Foladare et al. and Yoshikawa et al. disclose all the limitation in claim 17. Further, Yoshikawa et al. disclose the method wherein the step of providing includes a satellite system configured for communicating between the cellular telephone and the at least one of processing station ([0060] to [0062]. Inherently, there is needed the combination of GPS and satellite in order to determine the present position of the device 12).

Application/Control Number: 10/613,001

Art Unit: 2685

6. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Foladare et al.

(U.S. 5,732,383) in view of Yoshikawa et al. (Pub. No: 2004/0034464) and further in view of Le

et al. (Pub. No: 2004/0236498).

Regarding claim 15, the combination of Foladare et al. and Yoshikawa et al. disclose all

the limitation in claim 9. But, the combination of Foladare et al. and Yoshikawa et al. do not

disclose the system wherein the traffic management system provides corrective directions when a

turn along the navigation pathway was missed by the at least one cellular telephone user.

In the same field of endeavor, Le et al. disclose the system wherein the traffic

management system provides corrective directions when a turn along the navigation pathway

was missed by the at least one cellular telephone user ([0115]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the

invention was made to modify the mobile end-user device of the combination of Foladare et al.

and Yoshikawa et al. by specifically including corrective directions when a turn along the

navigation pathway was missed by the at least one cellular telephone user, as taught by Le et al.,

the motivation being in order to allow user to navigate from a predetermined source position to

predetermined destination position on the map.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure.

Luciana (Pub. No: 2002/0107634) traffic monitoring system and method

Raith (U.S. 6711408) position assisted handoff

Page 12

Application/Control Number: 10/613,001 Page 13

Art Unit: 2685

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dai A Phuong whose telephone number is 703-605-4373. The examiner can normally be reached on Monday to Friday, 9:00 A.M. to 5:00 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban can be reached on 703-305-4385. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dai Phuong AU: 2685

Date: 01-20-2005

EDWARD F. URBAN SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600